

HD IP BULLET CCTV CAMERA



Deter Theft With An HD IP Bullet CCTV Camera

Bullet cameras are more noticeable than dome cameras. Because they are more visible, potential criminals may be thwarted if they see an IP bullet security camera system in use. This makes them a great investment for both homes and businesses. Easily installed with an easy-mount base for both walls and ceilings, once installed you can still adjust the view without unscrewing the camera. Resolution of 1080 gives you a clear, high-quality picture and its weatherproof housing makes it ideal for outdoor environments though can also be used indoors. More customizable options for IP cameras include:

- Embedded RTOS design, Dual Core 32 bit DSP
- H.265/H.264 dual-stream encoding
- Dual stream to adjust to the network flexibly
- Optional function: Poe, AUDIO.
- High quality with stable performance
- Free client software support for record, preview, playback
- Support P2P, NAT traversal and mobile monitor
- Support iPhone, iPad, Android Mobile
- Adjustable DOL- HDR
- 3D DNR, Privacy Mask, Motion Detection
- Open SDK support for industry customer's secondary development
- Support Onvif 2.4 protocol
- Support various network modes.

Description

Get Clear Video Right to Your Phone With Revlight Security's HD IP Bullet CCTV Camera.

We offer the best HD IP Bullet CCTV Camera system available. Professional quality cameras at an affordable price helping both homeowners and business owners protect what is theirs. When our bullet cameras are paired with a Network Video Recorder (NVR), you get even greater functionality. Install the app onto your iPhone, Android or PC and get access to your video from anywhere at any time.

Camera Specification:

Model	WIPS20MD302
Sensor/DSP	1/2.8", 2.0 Mega-Pixel CMOS IMX307/HISILICON Hi3516E
Day/Night	ICR
Min.Illumination	Low LUX: 0.1LUX (Color) /0.01LUX (B&W)
Lens	2.8mm Fixed Lens
IR LED	φ 8X6pcs
IR Distance	30m
White Balance	Manual/Automatic
OSD	YES
Electronic Shutter	1/2000 ~ 1/1000
VIDEO	
Compression	H.265/H.264
Max Image Resolution	1920*1080
Frame Rate	7-30FPS (Adjustable)
Bit Rate	200Kpbs~8000kpbs(Adjustable)
AUDIO(Optional)	
NETWORK	
Protocol	TCP/IP, HTTP, DHCP, DNS, DDNS, UDP,RTSP, PPPoE, SMTP, NTP, UPnP, FTP,etc

Compliance	ONVIF 2.4
PC Client & Browser	UC2, IE,seetong
Mobile Phone	iPhone,iPad,Android Mobile
INTERFACE	
Video Output	RJ45
LAN	1 RJ45 10/100 ethernet port
GENERAL	
Working Temperature	-10 C ~ + 50 C
Working Humidity	0% ~ 90%
Power Supply	DC12V ,1.0A
Dimension	142(W) x 70(H) x 66(D)mm
Weight	0.5Kg