



## 2MP BULLET UNDERWATER IP CAMERA



### Product Feature

1. Shell Compressive Standard Depth 300m
2. High Resolution 2 Megapixel
3. Minimum Illumination 0.00001Lux@F1.2
4. IP camera, ONVIFCompliant
5. Power And Data Transfer By 2 Wires Up To 600m


---

### Office

7 Temasek Boulevard Level 32,  
Suntec Tower One Singapore 038987  
+65-6678-6557  
sales@revlightsecurity.com

### Showroom

200 Jalan Sultan  
#10-07, Singapore  
199018



### Main Specifications

Model no.	TPS-UDC-LI200
Image sensor	SONY 1/1.8''
Signal Type	Network Signal
Resolution	2 Megapixel
Sensitivity	0.00001Lux@F1.4 (Color mode); 0.00001Lux@F1.2 (Monochrome)
SIGNAL-NOISE RATIO	≥50dB (AGC OFF)
<a href="#">Video Compression</a>	2MP H265/H264 1080P
Voltage	48VDC
Network protocol	TCP/IP, HTTP NTP, IGMP, DHCP, UDPSMTP, RTP, RTSP, ARP, DDNS, DNS, HTTPS, P2P
View angel	90 degree
Lens	3.6mm (Optional 3.2mm/ 6mm/ 8mm)
Connector	MCBH2MSS

### Office

7 Temasek Boulevard Level 32,  
 Suntec Tower One Singapore 038987  
 +65-6678-6557  
 sales@revlightsecurity.com

### Showroom

200 Jalan Sultan  
 #10-07, Singapore  
 199018



Depth rating	300m(Optional MAX 6000m)
Storage temperature	-30-60°C
Operating temperature	-20-50°C
Operating humidity	Relative Humidity Below 90%
Standard housing	Stainless Steel/ Titanium Alloy
Window	Acrylic 300m (Optional Sapphire 6000m )
Dimensions	65mm(D)x170mm(L) Excluding Connector
Weight in the air	1.5KG

## PLC Network Receiver



---

### Office

7 Temasek Boulevard Level 32,  
Suntec Tower One Singapore 038987  
+65-6678-6557  
sales@revlightsecurity.com

### Showroom

200 Jalan Sultan  
#10-07, Singapore  
199018



Power input	AC85V-245V 50/60HZ
Power output	DC48V, support POE supply too
Max current	1.2A
Max capacity	220W
Speed	200Mbps
Max distance	600M
Network port	1*RJ45
Standard	IEEE802.11a IEEE802.3u IEEE802.3ab
Compatibility	200Mbps 300Mbps
Cable required	>2*0.5 <sup>2</sup>
Shell material	ABS
Operating temperature	-20°C -40°C
Operating humidity	10%-90%RH
<a href="#">Operating requency</a>	1.8-30MHZ
Dimension	125*60*40mm

---

**Office**

7 Temasek Boulevard Level 32,  
Suntec Tower One Singapore 038987  
+65-6678-6557  
sales@revlightsecurity.com

**Showroom**

200 Jalan Sultan  
#10-07, Singapore  
199018



## Product Show



---

### Office

7 Temasek Boulevard Level 32,  
Suntec Tower One Singapore 038987  
+65-6678-6557  
sales@revlightsecurity.com


### Showroom

200 Jalan Sultan  
#10-07, Singapore  
199018



### Packing List

1. Camera
2. 10m cable
3. PLC Receiver



---

### Office

7 Temasek Boulevard Level 32,  
Suntec Tower One Singapore 038987  
+65-6678-6557  
sales@revlightsecurity.com

### Showroom

200 Jalan Sultan  
#10-07, Singapore  
199018